

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m <sup>3</sup> /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_ALE_001	274.09	2.08	274.09	2.1	3.1	274.09	2.0	3.1	274.06	1.9	3.1	274.09	2.1	3.1	274.02	1.6	2.9	
PT_ALE_002	270.27	2.08	270.27	2.1	3.8	270.27	2.0	3.7	270.25	1.9	3.6	270.27	2.1	3.8	270.25	1.6	3.5	
PT_ALE_003	232.24	2.08	232.24	2.1	4.1	232.24	2.0	4.1	232.22	1.9	4.0	232.24	2.1	4.1	232.19	1.6	3.7	
PT_ALE_004	174.71	2.08	174.71	2.1	2.9	174.71	2.0	2.9	174.70	1.9	2.8	174.71	2.1	2.9	174.69	1.6	2.6	
PT_ALE_005	161.91	2.08	161.91	2.1	3.1	161.90	2.0	3.1	161.88	1.9	3.1	161.91	2.1	3.1	161.84	1.6	2.9	
PT_ALE_006	153.17	2.08	153.17	2.1	2.9	153.16	2.0	2.9	153.14	1.9	2.9	153.17	2.1	2.9	153.09	1.6	2.8	
PT_ALE_007	147.25	2.99	147.25	3.0	1.1	147.24	2.9	1.1	147.20	2.7	1.1	147.24	3.0	1.1	147.12	2.3	1.0	
PT_ALE_008	144.91	2.99	144.91	3.0	0.5	144.91	2.9	0.4	144.89	2.7	0.4	144.91	3.0	0.4	144.86	2.3	0.4	
PT_ALE_009	144.85	2.99	144.85	3.0	0.2	144.84	2.9	0.2	144.84	2.7	0.1	144.84	3.0	0.2	144.83	2.3	0.1	
PT_ALE_010	144.80	2.99	144.80	3.0	0.2	144.80	2.9	0.2	144.80	2.7	0.2	144.80	3.0	0.2	144.80	2.3	0.2	
PT_BAT_001	240.01	9.80	239.88	7.2	2.0	239.90	7.6	2.0	239.90	7.5	2.0	240.01	9.8	2.2	239.93	8.2	2.1	
PT_BAT_002	236.13	30.82	235.95	23.2	3.1	235.98	24.2	3.1	235.97	24.0	3.1	236.13	30.8	3.3	236.01	25.7	3.2	
PT_BAT_003	234.00	30.82	233.82	24.2	2.1	233.85	24.2	2.1	233.84	30.8	2.1	234.00	30.8	2.4	233.88	25.7	2.2	
PT_BAT_004	230.78	30.82	230.58	23.2	2.5	230.61	24.2	2.5	230.60	24.0	2.5	230.78	30.8	2.7	230.64	25.7	2.6	
PT_BAT_005	229.00	30.82	228.90	24.2	3.0	228.91	24.2	3.0	228.91	30.8	3.0	229.00	30.8	3.3	228.93	25.7	3.1	
PT_BAT_006	156.77	54.95	156.54	41.7	4.3	156.58	43.7	4.4	156.57	42.9	4.4	156.77	55.0	4.7	156.62	46.0	4.5	
PT_BAT_007	150.67	54.95	150.48	43.7	2.7	150.51	43.7	2.8	150.50	55.0	2.7	150.67	55.0	3.1	150.54	46.0	2.8	
PT_BAT_008	150.35	54.95	150.12	41.7	2.7	150.15	43.7	2.7	150.15	42.9	2.7	150.35	55.0	2.7	150.18	46.0	2.7	
PT_BAT_009	147.90	54.95	147.73	43.7	2.2	147.76	43.7	2.2	147.74	55.0	2.2	147.90	55.0	2.4	147.78	46.0	2.2	
PT_BAT_010	146.72	54.95	146.34	41.7	1.7	146.39	43.7	1.7	146.37	42.9	1.7	146.72	55.0	1.4	146.45	46.0	1.7	
PT_BAT_012	146.48	55.94	145.88	44.4	1.4	145.98	44.4	1.3	145.95	55.9	1.3	146.48	55.9	1.0	146.09	47.0	1.2	
PT_BAT_013	144.64	55.94	144.35	41.9	2.5	144.40	44.4	2.6	144.38	43.6	2.6	144.64	55.9	2.8	144.46	47.0	2.6	
PT_BAT_014	143.39	55.94	143.20	44.4	2.7	143.23	44.4	2.8	143.22	55.9	2.8	143.39	55.9	3.0	143.28	47.0	2.9	
PT_BAT_015	142.24	55.94	142.14	41.9	2.0	142.16	44.4	2.0	142.15	43.6	2.0	142.24	55.9	2.1	142.18	47.0	2.0	
PT_BAT_016	141.52	55.94	141.47	44.4	1.7	141.48	44.4	1.7	141.48	55.9	1.7	141.52	55.9	1.8	141.49	47.0	1.7	
PT_BAT_017	140.32	55.94	140.25	41.9	1.0	140.25	44.4	1.0	140.25	43.6	1.0	140.31	55.9	1.0	140.32	47.0	1.0	
PT_BAT_018	140.25	58.19	140.12	45.8	0.2	140.11	45.8	0.2	140.10	58.2	0.2	140.23	58.2	0.1	140.25	48.9	0.1	
PT_BAT_019	139.53	58.19	139.52	43.7	0.5	139.52	45.8	0.5	139.51	45.2	0.5	139.52	58.2	0.5	139.53	48.9	0.5	
PT_BAT_020	139.51	58.19	139.50	45.8	0.1	139.50	45.8	0.1	139.50	58.2	0.1	139.51	58.2	0.2	139.51	48.9	0.2	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m <sup>3</sup> /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_BAT_021	139.51	58.19	139.50	43.7	0.1	139.50	45.8	0.1	139.50	45.2	0.1	139.51	58.2	0.2	139.51	48.9	0.2	
PT_BLO_001	165.06	1.35	165.06	1.4	3.1	165.05	1.2	2.9	165.03	1.1	2.8	165.03	1.1	2.8	165.00	0.8	2.5	
PT_BLO_002	155.97	1.35	155.97	1.4	1.9	155.96	1.2	1.8	155.93	1.1	1.9	155.94	1.1	1.9	155.91	0.8	1.8	
PT_BLO_003	148.79	1.35	148.79	1.4	4.5	148.73	1.2	9.3	148.73	1.1	10.2	148.73	1.1	10.3	148.73	0.8	7.5	
PT_BLO_004	146.92	1.35	146.92	1.4	2.0	146.89	1.2	1.9	146.87	1.1	1.8	146.88	1.1	1.8	146.83	0.8	1.7	
PT_BLO_005	146.40	1.35	146.40	1.4	1.3	146.37	1.2	1.2	146.33	1.1	1.2	146.34	1.1	1.2	146.27	0.8	1.1	
PT_BLO_006	145.02	1.35	145.02	1.4	0.7	144.94	1.2	0.7	144.86	1.1	0.7	144.86	1.1	0.7	144.70	0.8	0.7	
PT_BLO_007	143.70	1.35	143.70	1.4	2.8	143.69	1.2	2.7	143.67	1.1	2.7	143.67	1.1	2.7	143.64	0.8	2.6	
PT_BLO_008	142.97	2.54	142.97	2.5	0.6	142.97	2.3	0.6	142.97	2.0	0.6	142.97	2.0	0.6	142.96	1.5	0.6	
PT_BLO_009	142.30	2.54	142.28	2.5	0.7	142.29	2.3	0.7	142.29	2.0	0.7	142.30	2.0	0.7	142.29	1.5	0.7	
PT_BLO_010	141.96	2.54	141.95	2.5	0.8	141.95	2.3	0.8	141.95	2.0	0.8	141.96	2.0	0.8	141.95	1.5	0.8	
PT_COL_001	182.67	3.12	182.67	3.1	5.0	182.66	3.1	4.9	182.64	3.1	4.7	182.65	3.1	4.8	182.60	2.4	4.4	
PT_COL_002	156.52	3.12	156.52	3.1	0.7	156.51	3.1	0.7	156.49	2.9	0.7	156.51	3.1	0.7	156.45	2.4	0.6	
PT_COL_003	153.07	3.12	153.07	3.1	9.3	153.06	3.1	8.9	153.04	3.1	8.1	153.06	3.1	8.7	153.01	2.4	6.7	
PT_COL_004	150.47	3.12	150.47	3.1	0.6	150.33	3.1	0.7	150.00	2.9	1.0	150.25	3.1	0.8	149.51	2.4	1.2	
PT_COL_005	146.66	3.12	146.66	3.1	1.2	146.63	3.1	1.3	146.56	3.1	1.4	146.61	3.1	1.3	146.46	2.4	1.6	
PT_COL_006	145.39	3.12	145.39	3.1	1.1	145.38	3.1	1.1	145.35	2.9	1.0	145.37	3.1	1.1	145.30	2.4	0.9	
PT_COL_007	143.39	3.12	143.38	3.1	0.7	143.38	3.1	0.7	143.38	3.1	0.7	143.39	3.1	0.7	143.38	2.4	0.7	
PT_COL_008	142.65	3.12	142.64	3.1	0.7	142.65	3.1	0.7	142.64	2.9	0.7	142.65	3.1	0.7	142.65	2.4	0.7	
PT_COL_009	142.41	3.12	142.38	3.1	0.0	142.38	3.1	0.0	142.38	3.1	0.0	142.41	3.1	0.1	142.40	2.4	0.1	
PT_COL_010	141.31	3.23	141.19	3.2	0.4	141.19	3.1	0.4	141.19	2.9	0.4	141.31	3.1	0.4	141.28	2.4	0.4	
PT_COL_011	141.20	3.23	141.07	3.2	0.2	141.06	3.1	0.2	141.06	3.1	0.2	141.20	3.1	0.2	141.17	2.4	0.2	
PT_EPE_001	256.48	19.38	256.35	15.2	3.0	256.38	16.0	3.0	256.36	15.6	3.0	256.48	19.4	3.2	256.39	16.3	3.0	
PT_EPE_002	253.82	19.38	253.58	16.0	1.0	253.63	16.0	1.0	253.61	19.4	1.0	253.82	19.4	1.0	253.65	16.3	1.0	
PT_EPE_003	248.93	19.38	248.75	15.2	2.7	248.79	16.0	2.7	248.77	15.6	2.7	248.93	19.4	2.8	248.80	16.3	2.7	
PT_EPE_004	245.53	19.38	245.36	16.0	3.8	245.39	16.0	3.8	245.38	19.4	3.8	245.53	19.4	3.9	245.40	16.3	3.8	
PT_EPE_005	239.66	21.09	239.42	16.6	1.8	239.47	17.5	1.8	239.44	17.0	1.8	239.66	21.1	1.9	239.48	17.7	1.8	
PT_EPE_006	239.25	21.09	239.09	17.5	1.2	239.12	17.5	1.3	239.11	21.1	1.3	239.25	21.1	1.5	239.13	17.7	1.3	
PT_EPE_007	236.00	21.09	235.68	16.6	1.6	235.74	17.5	1.6	235.71	17.0	1.6	236.00	21.1	1.6	235.76	17.7	1.6	

PT	p100																
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h		
Nom	Zmax (mIGN69)	Qmax (m <sup>3</sup> /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)
PT_EPE_008	235.77	21.09	235.50	17.5	1.7	235.55	17.5	1.7	235.52	21.1	1.7	235.77	21.1	1.9	235.56	17.7	1.7
PT_EPE_009	235.38	21.09	235.26	16.6	1.5	235.28	17.5	1.6	235.27	17.0	1.6	235.38	21.1	1.8	235.28	17.7	1.6
PT_EPE_010	221.52	21.09	221.38	17.5	4.3	221.41	17.5	4.4	221.39	21.1	4.3	221.52	21.1	4.5	221.42	17.7	4.4
PT_EPE_011	213.76	21.09	213.60	16.6	4.6	213.63	17.5	4.7	213.61	17.0	4.7	213.76	21.1	4.9	213.64	17.7	4.7
PT_EPE_012	194.49	21.09	194.37	17.5	6.4	194.40	17.5	6.4	194.39	21.1	6.4	194.49	21.1	6.5	194.41	17.7	6.4
PT_MAT_001	606.89	5.17	606.89	5.0	3.9	606.88	5.0	3.9	606.83	5.2	4.1	606.89	5.2	3.9	606.79	4.2	4.1
PT_MAT_002	598.64	5.17	598.64	4.9	1.0	598.63	5.0	1.0	598.58	4.7	1.0	598.64	5.2	1.0	598.52	4.2	1.0
PT_MAT_003	590.56	5.17	590.56	5.0	1.0	590.56	5.0	1.0	590.54	5.2	1.0	590.56	5.2	1.0	590.51	4.2	0.9
PT_MAT_004	581.16	5.39	581.16	5.1	0.5	581.16	5.2	0.4	581.14	4.9	0.4	581.16	5.4	0.5	581.12	4.4	0.4
PT_MOQ_001	158.36	3.19	158.36	3.2	2.9	158.35	3.2	2.9	158.34	3.2	2.8	158.35	3.2	2.9	158.31	2.4	2.5
PT_MOQ_002	146.57	3.19	146.57	3.2	1.7	146.55	3.2	1.7	146.50	2.9	1.7	146.55	3.2	1.7	146.41	2.4	1.7
PT_MOQ_003	145.45	3.19	145.45	3.2	0.5	145.45	3.2	0.5	145.41	3.2	0.5	145.44	3.2	0.5	145.32	2.4	0.5
PT_MOQ_004	144.85	3.19	144.85	3.2	1.0	144.84	3.2	1.0	144.82	2.9	1.0	144.84	3.2	1.0	144.78	2.4	0.9
PT_MOQ_005	144.10	3.19	144.10	3.2	1.1	144.10	3.2	1.1	144.10	3.2	1.0	144.10	3.2	1.1	144.09	2.4	1.0
PT_MOQ_006	143.57	3.19	143.57	3.2	0.6	143.57	3.2	0.6	143.57	2.9	0.6	143.57	3.2	0.6	143.57	2.4	0.6
PT_MOQ_007	142.14	3.57	142.11	3.6	0.6	142.12	3.5	0.6	142.12	3.5	0.6	142.14	3.5	0.5	142.14	2.7	0.5
PT_MOQ_008	141.51	3.57	141.41	3.6	1.3	141.41	3.5	1.3	141.41	3.3	1.3	141.45	3.5	1.3	141.51	2.7	1.4
PT_MOQ_009	141.11	3.57	141.05	3.6	1.4	141.05	3.5	1.4	141.05	3.5	1.4	141.07	3.5	1.5	141.11	2.7	1.6
PT_MOR_001	176.14	3.19	176.02	3.2	3.8	176.04	3.2	3.8	176.03	2.9	3.8	176.14	3.2	4.0	176.04	2.4	3.8
PT_MOR_002	164.09	3.19	163.97	3.2	3.5	163.99	3.2	3.5	163.98	3.2	3.5	164.09	3.2	3.8	163.99	2.4	3.6
PT_MOR_003	156.30	3.19	156.22	3.2	2.2	156.23	3.2	2.3	156.22	2.9	2.3	156.30	3.2	2.4	156.23	2.4	2.3
PT_MOR_004	148.74	3.57	148.23	3.6	1.7	148.35	3.5	1.6	148.30	3.5	1.7	148.74	3.5	1.6	148.36	2.7	1.6
PT_MOR_005	147.60	3.57	147.46	3.6	1.5	147.48	3.5	1.5	147.47	3.3	1.5	147.60	3.5	1.6	147.49	2.7	1.5
PT_MOR_006	145.75	3.57	145.73	3.6	1.6	145.74	3.5	1.6	145.74	3.5	1.6	145.75	3.5	1.6	145.74	2.7	1.6
PT_MOR_007	145.05	3.57	145.03	3.6	1.8	145.04	3.5	1.8	145.03	3.3	1.8	145.05	3.5	1.8	145.04	2.7	1.8
PT_MOR_008	142.42	3.57	142.42	3.6	1.4	142.42	3.5	1.4	142.42	3.5	1.4	142.42	3.5	1.4	142.42	2.7	1.4
PT_MOR_009	141.64	3.57	141.63	3.6	1.2	141.63	3.5	1.2	141.63	3.3	1.2	141.64	3.5	1.2	141.63	2.7	1.2
PT_MOR_010	141.09	3.57	141.00	3.6	1.1	141.00	3.5	1.1	141.00	3.5	1.1	141.09	3.5	0.9	141.05	2.7	0.9
PT_MOR_011	141.00	3.57	140.86	3.6	0.6	140.86	3.5	0.6	140.86	3.3	0.6	141.00	3.5	0.3	140.94	2.7	0.3

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m <sup>3</sup> /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_PAT_001	152.02	2.58	152.02	2.5	2.5	152.02	2.5	2.5	152.00	2.6	2.4	152.02	2.6	2.5	151.98	2.0	2.3	
PT_PAT_002	146.61	2.58	146.61	2.5	1.4	146.60	2.5	1.4	146.58	2.3	1.4	146.61	2.6	1.4	146.55	2.0	1.3	
PT_PAT_003	146.38	2.58	146.38	2.5	0.2	146.37	2.5	0.2	146.35	2.6	0.2	146.38	2.6	0.2	146.33	2.0	0.2	
PT_PAT_004	140.83	2.58	140.70	2.5	0.5	140.70	2.5	0.4	140.69	2.3	0.4	140.83	2.6	0.5	140.65	2.0	0.4	
PT_PAT_005	140.30	2.58	140.14	2.5	76.4	140.13	2.5	78.4	140.12	2.6	96.6	140.30	2.6	2.4	140.29	2.0	2.2	
PT_PAT_006	140.28	2.58	140.13	2.5	0.2	140.12	2.5	0.2	140.11	2.3	0.2	140.26	2.6	0.1	140.28	2.0	0.1	
PT_PAT_007	140.28	2.58	140.13	2.5	0.1	140.12	2.5	0.1	140.11	2.6	0.1	140.25	2.6	0.1	140.28	2.0	0.1	
PT_PAT_008	140.26	2.58	140.12	2.5	0.0	140.11	2.5	0.0	140.10	2.3	0.0	140.23	2.6	0.1	140.26	2.0	0.1	
PT_PAT_009	140.25	2.58	140.12	2.5	0.1	140.11	2.5	0.1	140.10	2.6	0.1	140.23	2.6	0.1	140.25	2.0	0.1	
PT_REG_001	491.16	9.77	491.10	8.9	0.7	491.11	9.0	0.7	491.08	8.5	0.7	491.16	9.8	0.8	491.05	8.1	0.7	
PT_REG_002	483.31	9.77	483.25	9.0	2.4	483.26	9.0	2.4	483.23	9.8	2.3	483.31	9.8	2.4	483.19	8.1	2.3	
PT_REG_003	480.89	9.77	480.84	8.9	4.0	480.85	9.0	4.1	480.82	8.5	4.0	480.89	9.8	4.1	480.79	8.1	3.9	
PT_REG_004	474.11	9.77	473.99	9.0	0.9	474.01	9.0	0.9	473.94	9.8	0.9	474.11	9.8	0.8	473.87	8.1	0.9	
PT_REG_005	469.27	9.77	469.22	8.9	4.0	469.23	9.0	4.0	469.19	8.5	4.0	469.27	9.8	4.0	469.16	8.1	4.0	
PT_REG_006	466.10	9.77	465.96	9.0	1.4	465.99	9.0	1.4	465.91	9.8	1.5	466.10	9.8	1.4	465.81	8.1	1.5	
PT_REG_007	446.67	10.14	446.58	9.2	1.2	446.60	9.4	1.2	446.55	8.9	1.2	446.67	10.1	1.2	446.50	8.4	1.2	
PT_REG_008	445.16	10.14	445.05	9.4	1.3	445.06	9.4	1.3	445.00	10.1	1.3	445.16	10.1	1.2	444.94	8.4	1.4	
PT_REG_009	443.46	10.14	443.39	9.2	1.0	443.40	9.4	1.0	443.36	8.9	1.0	443.46	10.1	1.0	443.31	8.4	1.0	
PT_REG_010	438.26	10.14	438.20	9.4	3.5	438.21	9.4	3.5	438.18	10.1	3.5	438.26	10.1	3.6	438.15	8.4	3.5	
PT_REG_011	434.45	27.79	434.41	26.6	2.4	434.41	26.5	2.4	434.35	24.6	2.4	434.45	27.8	2.5	434.28	22.6	2.3	
PT_REG_012	432.50	27.79	432.47	26.6	4.4	432.47	26.5	4.4	432.42	27.8	4.3	432.50	27.8	4.5	432.36	22.6	4.2	
PT_REG_013	428.30	27.79	428.22	26.6	1.6	428.22	26.5	1.6	428.11	24.6	1.6	428.30	27.8	1.6	427.95	22.6	1.6	
PT_REG_014	424.75	27.79	424.73	26.6	4.2	424.72	26.5	4.2	424.69	27.8	4.1	424.75	27.8	4.2	424.64	22.6	4.0	
PT_REG_015	413.42	27.79	413.39	26.6	3.3	413.38	26.5	3.3	413.34	24.6	3.2	413.42	27.8	3.3	413.28	22.6	3.1	
PT_REG_016	411.55	27.79	411.41	26.6	1.4	411.41	26.5	1.4	411.21	27.8	1.4	411.55	27.8	1.4	410.95	22.6	1.5	
PT_REG_017	400.32	27.79	400.29	26.6	4.3	400.29	26.5	4.3	400.26	24.6	4.2	400.32	27.8	4.3	400.21	22.6	4.0	
PT_REG_018	390.03	27.79	389.99	26.6	4.1	389.99	26.5	4.1	389.94	27.8	4.0	390.03	27.8	4.1	389.89	22.6	4.0	
PT_REG_019	373.76	27.79	373.74	26.6	3.4	373.74	26.5	3.4	373.70	24.6	3.3	373.76	27.8	3.4	373.65	22.6	3.2	
PT_REG_020	371.93	27.79	371.90	26.6	3.3	371.90	26.5	3.3	371.85	27.8	3.3	371.93	27.8	3.4	371.79	22.6	3.2	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m <sup>3</sup> /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_REG_021	370.02	27.79	369.98	26.6	2.1	369.98	26.5	2.1	369.92	24.6	2.0	370.02	27.8	2.1	369.85	22.6	2.0	
PT_REG_022	367.70	27.79	367.66	26.6	4.3	367.65	26.5	4.3	367.57	27.8	4.4	367.70	27.8	4.3	367.46	22.6	4.5	
PT_REG_023	365.75	27.79	365.70	26.6	4.8	365.70	26.5	4.8	365.64	24.6	4.8	365.75	27.8	4.8	365.57	22.6	4.7	
PT_REG_024	359.03	33.34	358.94	31.7	3.1	358.95	31.7	3.1	358.84	33.3	3.1	359.03	33.3	3.1	358.71	27.2	3.1	
PT_REG_025	356.37	33.34	356.32	31.1	4.3	356.32	31.7	4.4	356.26	29.6	4.3	356.37	33.3	4.4	356.18	27.2	4.2	
PT_REG_026	344.72	33.34	344.67	31.7	2.2	344.67	31.7	2.2	344.61	33.3	2.1	344.72	33.3	2.2	344.53	27.2	2.0	
PT_REG_027	332.92	33.34	332.88	31.1	3.9	332.89	31.7	3.9	332.85	29.6	3.9	332.92	33.3	4.0	332.80	27.2	3.8	
PT_SCI_001	600.16	6.50	600.16	6.4	3.9	600.15	6.4	3.9	600.12	6.5	3.8	600.15	6.5	3.9	600.09	5.3	3.7	
PT_SCI_002	578.70	6.90	578.70	6.8	1.5	578.66	6.8	1.5	578.60	6.3	1.7	578.66	6.9	1.5	578.55	5.6	1.5	
PT_SCI_003	567.73	12.28	567.73	12.0	3.5	567.72	12.0	3.5	567.69	12.3	3.4	567.72	12.3	3.5	567.64	10.0	3.3	
PT_SCI_004	564.46	12.28	564.46	11.8	4.2	564.46	12.0	4.2	564.43	11.2	4.1	564.46	12.3	4.2	564.38	10.0	4.0	
PT_SOL_001	270.83	1.63	270.83	1.6	3.6	270.83	1.6	3.6	270.82	1.6	3.5	270.83	1.6	3.6	270.81	1.3	3.1	
PT_SOL_002	267.17	1.63	267.17	1.6	0.5	267.14	1.6	0.5	267.02	1.5	0.6	267.16	1.6	0.5	266.82	1.3	0.8	
PT_SOL_003	251.64	1.63	251.64	1.6	2.8	251.64	1.6	2.8	251.63	1.6	2.7	251.64	1.6	2.8	251.61	1.3	2.6	
PT_SOL_004	214.75	1.63	214.75	1.6	2.6	214.75	1.6	2.6	214.75	1.5	2.4	214.75	1.6	2.6	214.74	1.3	2.1	
PT_SOL_005	204.25	1.63	204.25	1.6	42.4	204.25	1.6	38.3	204.25	1.6	6.6	204.25	1.6	40.7	204.25	1.3	1.9	
PT_SOL_006	185.87	2.31	185.87	2.3	2.1	185.86	2.2	2.2	185.79	2.1	2.4	185.86	2.3	2.2	185.69	1.8	2.8	
PT_SOL_007	151.40	2.31	151.40	2.3	2.5	151.40	2.2	2.5	151.40	2.3	2.3	151.40	2.3	2.5	151.39	1.8	2.0	
PT_SOL_008	147.01	2.31	147.01	2.3	1.3	147.00	2.2	1.3	146.95	2.1	1.4	147.00	2.3	1.3	146.87	1.8	1.4	
PT_SOL_009	144.43	2.31	144.30	2.3	2.8	144.32	2.2	2.8	144.32	2.3	2.6	144.43	2.3	2.8	144.37	1.8	2.2	
PT_VAL_001	407.01	20.00	406.88	16.7	3.4	406.90	16.7	3.5	406.89	20.0	3.4	407.01	20.0	3.7	406.91	16.8	3.5	
PT_VAL_002	400.77	20.00	400.54	16.0	1.9	400.58	16.7	1.9	400.55	16.1	1.9	400.77	20.0	1.9	400.58	16.8	1.9	
PT_VAL_003	400.05	20.00	399.66	16.7	1.5	399.74	16.7	1.5	399.69	20.0	1.5	400.05	20.0	1.3	399.75	16.8	1.5	
PT_VAL_004	391.38	20.97	391.25	16.7	4.7	391.27	17.5	4.7	391.26	16.9	4.7	391.38	21.0	5.0	391.28	17.6	4.8	
PT_VAL_005	386.02	20.97	386.02	17.5	3.4	386.02	17.5	3.6	386.02	21.0	3.5	386.02	21.0	4.6	386.02	17.6	3.6	
PT_VAL_006	379.94	20.97	379.84	16.7	3.6	379.87	17.5	3.5	379.86	16.9	3.5	379.94	21.0	3.4	379.87	17.6	3.5	
PT_VAL_007	342.42	24.32	342.32	20.4	4.1	342.34	20.4	4.1	342.33	24.3	4.1	342.42	24.3	4.4	342.34	20.4	4.1	
PT_VAL_008	337.73	24.32	336.89	19.4	1.0	337.03	20.4	0.9	336.94	19.8	0.9	337.73	24.3	0.7	337.03	20.4	0.9	
PT_VAL_009	196.65	75.42	196.51	66.6	4.4	196.53	66.6	4.4	196.49	75.4	4.4	196.65	75.4	4.5	196.46	62.0	4.3	

PT	p100																	
	p100 référence		p100_01h			p100_02h			p100_03h			p100_06h			p100_012h			
Nom	Zmax (mIGN69)	Qmax (m <sup>3</sup> /s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	Zmax (mIGN69)	Qmax (m3/s)	Vmax (m/s)	
PT_VAL_010	194.46	75.42	194.31	64.8	4.3	194.33	66.6	4.3	194.29	63.6	4.2	194.46	75.4	4.5	194.26	62.0	4.2	
PT_VAL_011	189.83	75.42	189.56	66.6	2.2	189.61	66.6	2.2	189.54	75.4	2.2	189.83	75.4	2.3	189.49	62.0	2.2	
PT_VAL_012	187.97	75.42	187.83	64.8	4.2	187.86	66.6	4.2	187.82	63.6	4.2	187.97	75.4	4.3	187.80	62.0	4.1	
PT_VAL_013	186.32	75.42	186.14	66.6	3.5	186.18	66.6	3.5	186.12	75.4	3.5	186.32	75.4	3.6	186.09	62.0	3.5	
PT_VAL_014	185.23	75.42	184.94	64.8	1.2	184.99	66.6	1.2	184.91	63.6	1.2	185.23	75.4	1.2	184.86	62.0	1.2	
PT_VAL_015	180.80	75.42	180.67	66.6	4.4	180.70	66.6	4.4	180.66	75.4	4.3	180.80	75.4	4.5	180.64	62.0	4.3	
PT_VAL_016	178.16	75.42	178.01	64.8	2.9	178.04	66.6	3.0	178.00	63.6	2.9	178.16	75.4	3.1	177.97	62.0	2.9	
PT_VAL_017	173.55	75.42	173.38	66.6	3.5	173.41	66.6	3.6	173.36	75.4	3.5	173.55	75.4	3.7	173.34	62.0	3.5	
PT_VAL_018	170.31	75.42	170.17	64.8	3.5	170.19	66.6	3.5	170.15	63.6	3.4	170.31	75.4	3.7	170.13	62.0	3.4	
PT_VAL_019	167.82	75.42	167.65	66.6	2.7	167.68	66.6	2.7	167.63	75.4	2.7	167.82	75.4	2.8	167.60	62.0	2.7	
PT_VAL_020	167.20	75.42	166.99	64.8	2.7	167.03	66.6	2.7	166.97	63.6	2.6	167.20	75.4	2.8	166.94	62.0	2.6	
PT_VAL_021	164.46	75.42	164.32	66.6	4.0	164.34	66.6	4.1	164.31	75.4	4.0	164.46	75.4	4.2	164.28	62.0	4.0	
PT_VAL_022	161.84	75.42	161.67	64.8	4.0	161.70	66.6	4.0	161.66	63.6	3.9	161.84	75.4	4.1	161.63	62.0	3.9	
PT_VAL_023	157.81	75.42	157.51	66.6	3.1	157.63	66.6	2.8	157.46	75.4	3.1	157.81	75.4	2.7	157.43	62.0	3.1	
PT_VAL_024	154.39	81.08	154.22	68.2	4.5	154.24	70.8	4.5	154.20	68.5	4.5	154.39	81.1	4.7	154.18	66.8	4.4	
PT_VAL_025	152.87	81.08	152.73	70.8	3.4	152.76	70.8	3.4	152.72	81.1	3.4	152.87	81.1	3.6	152.70	66.8	3.3	
PT_VAL_026	151.06	81.08	150.90	68.2	2.9	150.93	70.8	2.9	150.89	68.5	2.9	151.06	81.1	3.0	150.86	66.8	2.8	
PT_VAL_027	149.10	81.08	148.88	70.8	3.5	148.91	70.8	3.5	148.86	81.1	3.5	149.10	81.1	3.4	148.83	66.8	3.5	
PT_VAL_028	147.44	81.08	147.28	68.2	2.3	147.31	70.8	2.3	147.27	68.5	2.3	147.44	81.1	2.5	147.24	66.8	2.3	
PT_VAL_029	146.67	81.08	146.49	70.8	1.7	146.52	70.8	1.7	146.47	81.1	1.7	146.67	81.1	1.7	146.44	66.8	1.7	
PT_VAL_030	145.45	81.08	145.28	68.2	2.3	145.31	70.8	2.3	145.27	68.5	2.3	145.45	81.1	2.3	145.24	66.8	2.3	
PT_VAL_031	144.04	81.08	144.03	70.8	1.2	144.03	70.8	1.2	144.03	81.1	1.2	144.04	81.1	1.3	144.03	66.8	1.2	
PT_VER_001	147.72	27.44	147.26	20.8	1.4	147.38	21.8	1.4	147.32	21.5	1.4	147.72	27.4	1.5	147.45	22.9	1.4	
PT_VER_002	144.98	27.50	144.71	21.8	1.4	144.75	21.8	1.4	144.73	27.5	1.4	144.98	27.5	1.6	144.79	23.0	1.5	
PT_VER_003	144.34	27.50	144.32	20.9	1.0	144.33	21.8	1.0	144.32	21.5	1.0	144.34	27.5	1.3	144.33	23.0	1.0	